10/770356

Customer No. 26308

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patent Number

: 6,971,878

Issued

: 6 December 2005

Branch of the Patent Issue Division

examination. A certificate of correction is requested.

Name of Patentee: Gary J. Pond

It is noted that an error appears in this notant of a

Title of Invention

: Apparatus and Methods For Treating Tooth Root Canals

Commissioner for Patents


PO Box 1450

Alexandria, VA 22313-1450

Certificate

FEB 0 1 2006

of Correction



REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT FOR APPLICANT'S MISTAKE (37 CFR 1.323)

• •		is the time and other appears in this patent of a
	[]	clerical
	[X]	typographical
	[]	minor
		nature or character, as more fully described below. It occurred in good faith. Correction thereof
		does not involve such changes in the patent as would constitute new matter or would require re-

Attached in duplicate is Form PTO-1050 with at least one copy being suitable for printing.

Form PTO-1050, using the column and line number in the printed patent, should be used exclusively regardless of the length of complexity of the subject matter. MPEP § 1485.

The patent grant should be retained by the patentee. The PTO does not attach the certificate of correction to the NOTE: patentee's copy of the patent. The patent grant will be returned to the patentee if submitted. MPEP § 1485.

CERTIFICATE OF MAILING (37 CFR 1.8(a))

I hereby certify that this paper (along with any referred to as being attached or enclosed) is being deposited with the United State Postal Service on the date shown below with sufficient postage as first class mail in an envelope addressed to the: Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450

Type or print name of person mailing paper

Date: <u>25 January 2006</u>

01/31/2006 MWDLDGE1 00000035 6971878

01 FC:1811

100.00 OP

FFR 3 2006 3. The exact page and line number where the errors occur in the application file are:

NOTE: This information should be identified in this request, however, on Form PTO-1050, only the column and line number in the printed patent should be used. MPEP § 1485.

In the Application:

In the amendment submitted 13 May 2005, line 13 of claim 14, after "manifold" delete - during --

Please send the Certificate to:

RYAN KROMHOLZ & MANION, S.C. Post Office Box 26618 Milwaukee, Wisconsin 53226

- 5. Please pay the fee of \$100.00, as required by 37 CFR 1.20(a), as follows:
 - [x] Enclosed is a check for \$100.00
 - [] Charge Deposit Account No. <u>06-2360</u> the sum of \$100.00. A duplicate of this request is attached.

John Manion, Reg. No. 34,204 Attorney of Record

RYAN KROMHOLZ & MANION, S.C. Post Office Box 26618 Milwaukee, Wisconsin 53226 (262) 783 - 1300 Customer No. 26308 UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 6,971,878

DATED : 6 December 2005

INVENTOR(S) : Gary J. Pond

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, lines 65-66, after "manifold" delete - during -

Mailing Address of Sender:

Ryan Kromholz & Manion, S.C.

Post Office Box 26618

Milwaukee, Wisconsin 53226

Number of Copies: 0

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 6,971,878

DATED : 6 December 2005

INVENTOR(S) : Gary J. Pond

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10, lines 65-66, after "manifold" delete - during -

Mailing Address of Sender:
Ryan Kromholz & Manion, S.C.
Post Office Box 26618

Milwaukee, Wisconsin 53226

Number of Copies: 0